


背面



電源供應器



連接孔


鍵盤
ps2

滑鼠
ps2


com

列印埠

螢幕
VGA



連接孔




連接孔





USB




網路線





Vga螢幕連接



背面



背面



側面



内部



内部



電池

CPU
中央處理
器

PCIE
顯示卡插槽

PCI插槽

USB連接


USB連接

記憶體

主機板電源

硬碟、光碟
連接端Sata

開關、訊號燈




光碟機

軟碟機、
讀卡機

硬碟



Sata電源接頭



Sata訊號連接頭



硬碟-sata



光碟機-sata



Sata連接裝置



硬碟拆裝



硬碟拆裝



拆連接線後拿出硬碟



取下硬碟座



WD

1.0TB SATA / 64MB Cache
WD10EZEX

WWN: 50014EE20A441DF7
DATE: 03 MAY 2014
DCM: DARNKT2A9B
LBA: 1953525168
DCX: 9M06251N3
5VDC: 0.68A
12VDC: 0.55A
R/N: 771829
Product of Thailand

Scan QR code here to learn about your hard drive or visit wd.com

S/N: WCC3F5483667

MDL: WD10EZEX-21M2NA0

U.S. Patents: 6178056, 5956196, 6289484, 6263459
Canada ICES - 003 Class B/ RoHS
NMB - 003 Classe B

Do not cover any drive holes

ATA

FRAGILE

Product warranty will be void if seal, label or cover is removed or damaged

WD Blue™
Desktop Hard Drive

硬碟與硬碟座



BIOS Settings

Item	Type	Description	Setting	Default
CMOS	1-0/0	CLEAR CMOS	1 2 3	CLR_CMOS
BIOS_WP	1-2	BIOS_WRITE PROTECT	1 2 3	BIOS_WP



硬碟



裝上硬碟座



裝上硬碟座



WD

1.0TB

SATA / 64MB Cache
WD10EZEX

WWN: 50014EE20A441DF7
DATE: 03 MAY 2014
DCM: DARNKT2A9B
LBA: 1953525168
DCX: 9M06251N3
5VDC: 0.68A
12VDC: 0.55A
R/N: 771829
Product of Thailand

Scan QR code here to learn about your hard drive or visit wd.com

S/N: WCC3F5483667

MDL: WD10EZEX-21M2NA0

U.S. Patents: 6178056, 5956196, 6289484, 6263459
Canada ICES-003 Class B/ RoHS
NMB-003 Classe B

Do not cover any drive holes

ATA


FRAGILE

Product warranty will be void if seal, label or cover is removed or damaged

WD Blue™
Desktop Hard Drive

硬碟






電池

硬碟連接端
Sata

usb

開關、訊號燈



記憶體



EG31M V.1.0
acer

記憶體

Pb

10

FC

Tested to Comply
With FCC Standards
FOR HOME OR OFFICE USE

ICES-003
Class / Class B


61

9470R41
R155
946
947

eee

ER50
ER53
ER55
ER57
ER59
ER61
ER63
ER65
ER67
ER69
ER71
ER73
ER75
ER77
ER79
ER81
ER83
ER85
ER87
ER89
ER91
ER93
ER95
ER97
ER99

UNICAB




CPU電源

風扇電源


CPU

主機板電源






音源線




Usb線

A close-up photograph of a green motherboard's SATA interface. Three SATA connectors are visible, labeled SATA1, SATA2, and SATA3. A black SATA power cable is plugged into the SATA1 connector. A yellow callout bubble points to the power cable's multi-colored wires (red, green, blue, white) which are connected to a SATA power plug. A purple callout bubble points to the SATA1 connector itself. The motherboard has various components labeled, including BIOS_WP, R578, R597, CASE_OPEN, R1131, R1127, R334, R332, and Q54. The SATA1 connector is a black plastic port with a gold-plated SATA data connector inserted into it. The SATA2 and SATA3 connectors are orange plastic ports. The SATA power cable has a black plastic housing and a multi-colored wire bundle. The yellow callout bubble is a speech bubble shape with a tail pointing to the power cable. The purple callout bubble is also a speech bubble shape with a tail pointing to the SATA1 connector. The background is slightly blurred, showing other parts of the computer case and cables.

硬碟Sata

開關、訊號燈線

電池



PCI-E 插槽

PCI 插槽

光碟、硬碟卡榫



