一、將您要壓縮的所有照片放於同一個資料夾中,但要記住資料夾放置的位置喔!



二、執行 PhotoImpact 11 程式



三、開啓後程式,點選[<mark>檔案]→[批次轉換</mark>]



按下......會出現以下畫面,再去找您要壓縮照片的資料夾…!

1							🗖 🗗 🔰	K
: 檔案 E 編輯	聞(E) 調整(<u>A</u>) 相	片(工)特效(C)選用	又區(上)物件(2)網路	(B) 檢視(♥) 我的工	作區(13) 視窗(199)	說明(<u>H</u>)		
■ … 描案の 編 二 十 一 、 一 、 一 、 二 十 一 、 二 十 一 、 二 十 一 、 二 十 一 、 二 十 一 、 、 、 、 、 、 、 、 、 、 、 、 、	₩E) 調整(A) 相 □, • 0	1片(11) 特效(2) 選택	 x區① 物件② 網路 350 ◆ ¥ 350 ◆ ¥ 北大特終 水源 潮気資料夹 選擇資料夹 選擇資料夹 通 我的可 ● ● 我的可 ● ● 我的可 ● ※ ● ※	 股、檢視(Y) 我的工 (E) 校視(Y) 我的工 (E) (Y) (P) (P) (P) (P) (P) (P) (P) (P) (P) (P	作區(<u>(</u>) 親窗(<u>(</u>)) :	説明(1)		
			☑ 碰到錯誤時顯於	示訊息(<u>M</u>)				
若需要說明,請打	安 F1 。							1
🦺 開始	🔄 🙆 🥸 "	🔄 內部資安稽核	202上	◆ 本機磁碟 (F:)	📄 文件1 - Micros		🖮 🛿 🖡 🔇 📕 下午 03:50	

如以下畫面,找到後按確定!

? 檔案中 編輯 E 調整 L 相片 (I) 特效 C 選取 E L 物件 O 網路 B 檢視 (Y) 我的 工作 E L 視窗 (W) 說明 H	_
・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	
若需要説明 • 請按 El 。 	•• :52

五、確定後,會回到原來畫面,在目的地選項中,點選儲存與關閉



六、再點底下的將檔案格式轉換成(R)→將不改變改成 JPG(JPEG 檔案交換格式)



七、之後再點選選項作設定

	1								×
	:檔案(E) 編輯	計(E) 調整(<u>A</u>) 相	片(工)特效(C)選耳	文區(L) 物件(O) 網路	(B) 檢視(Y) 我的工作	투區低) 視窗(型)	說明(出)		
	i 🛄 + -	🗐 🔹 🛛 😂	⊻ □ 固定 420	\$ ⊻ 350 \$ ⊻			2		
	▶ ● ● 日 ● ● ● 日 ● ● ● ● ● ● ● ● ● ● ● ● ●			北 次特決 来源 資料夾(E): F·5 類型(E): *** 包含所有子 目的地 印閣督至工作 ④儲存與關盟 夺至此資料 將檔案格式轉換成 FG (IPEG 檔案受 將診像類型轉換成 不改變 ✓ 碰到錯誤時顯	六甲國小迎曦樓圖 ♥ ▼ 雪料夾(▲) 语(型) 语(型) (○) <th>○ 確定 取消</th> <th></th> <th></th> <th></th>	○ 確定 取消			
🛃 開始 🔰 🙆 🥸 🎽 内部済安稽核 🐚 102上 🗁 六甲國小迎職 🕒 臺南市六甲國 🔞 🖉 🖓 🤇 🔀 🛒 下午 04:17		∉ F1 ∘			•				
	🦺 開始	😂 🙆 🖄 👋	🔄 內部資安稽核	202 ±	🗀 六甲國小迎曦	🕹 臺南市六甲國	1	- R 🕄 🔜 🔣	📱 下午 04:17

八、會出現以下畫面,再將品質 0-100 的游標移至 25,再按確定

12									_ 2 🛛
: 檔案 E 編	₩E 調整(A) 相	計(I) 特效(C) ⊻ □固定 420	選取區(L) 物件(Q) 網路(B) 檢視(7) 我的工作區(K) 耳	視窗(₩) 説明(Ð		
		」 19 授 次 品 森 稽	北大特検 深源 資料次 30 给存到30 該項目(2): [[目前] 式(2): 標準 取様(2): 図 30(2): 無 案類型(2): 全彩			確定 取消 取消			
F			將影像類不改變	型轉換成(D):					
			▼ 碰到銷	說時顯示訊息(公)					
若需要說明,請打	安 F1 ∘							• = = =	luuluu 🗀 💿
🥙 開始	ڬ 🙆 🛍	🔄 內部資安	<u> 102</u> 上	🔄 我的文件	😼 臺南市六		🔮 使用Photo	📄 🖻 🏅 🔇 K	🥦 下午 04:19

2				-	
· 福案(P) 編輯(E) 調整(A) 相片(I) 特效((C) 選収區(L) 物件(Q) 420	網路(12) 檢視(12) 我的工作⊌	೬(K) 視窗(₩) 訊	明(H) 全社 🔽	
∧					
₽ •	北次轉換		×		
T	~來源—		確定		
	資料夾()	2: E\六甲國小迎曦樓圖 🔽	取消		
	JPEG 儲存選項				
1 -	預設項目(R): [目前](24 標準 🛛 🛃 🛁			
2	模式(<u>M</u>): 標準	~			
¥•	品質(Q): 24				
3 ·	柔和(E): 無	0 50	100		
0		<u> </u>			
· ·		(確定	(消	
P	將影像類類	型轉換成(<u>D</u>):			
昭					
	☑碰到錯	誤時親不訊息(<u>M</u>)			
		•			
🛃 開始 📄 🐚 🚱 🔌 🐂 內部資安	: 🤄 102 <u>F</u>	🔄 我的文件 💦 😼 臺南市六		🔮 使用Photo	📄 🗃 🕄 🗘 🚺 💕 下午 04:22
3 開始 ● ● ● ● * ● 内部資本 力、最後按下確定即可	: 🦙 102 <u>+</u>	🔄 我的文件 🛛 🕹 臺南市六		· 使用Photo	🛗 🛛 🖡 🏹 🌠 🗩 下午 04:22
 → 開始 ▲ ● @ 2 * ▲ AWAG 九、最後按下確定即可 	E 🎦 102上	🔮 我的文件 🛛 <table-cell> 臺南市六</table-cell>		· 使用Photo	□ □ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
 → 開始 ▲ ● ● ● ² ● 内部演奏 九、最後按下確定即可 ■ ● ●	E ▶ 102上 C) 選取區① 物件(①)	◆ 我的文件 ● 臺南市六 網路(B) 校親(Y) 我的工作區	···· 在 (<u>K</u>) 親窗(<u>W</u>) 說明	☑ 使用Photo 月田	m 🛛 🗘 🗘 📢 K 🗭 下午 04:22
 → 開始 ▲ ● ● ● ² ● 内部資表 九、最後按下確定即可 ● ■ ■	 ▲ 102上 C) 選取區(L) 物件(Q) 420 ◆ ¥ 350 ◆ 	 → 我的文件 ● 室南市六 網路(B) 檢視(Y) 我的工作區 ▼ ▼ ● ●	···· 在 (<u>(</u>) 視窗(<u>W</u>) 說明	┙使用Photo 月田 全社 ビ	m 🛛 🗘 🗘 🕻 🚺 下午 04:22
 → 開始 ▲ ● ● ● ² ● 内部資気 九、最後按下確定即可 ■ 檔案® 編輯® 調整(4) 相片(1) 特效(1) ■ ■ ■ ■ ■ ● ● ● ■ ■ ■ ■ 	E 2 102上 C) 選取區① 物件(① 420 0 ⊻ 350 0	 → 我的文件 ● 臺南市六 網路(B) 校規(Y) 我的工作區 ▼ ● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	···· で 〔(1) 税窗(W) 説明	♥ 使用Photo 月田 全社 マ	■ 図 ? (▲ ▲ → → + 04/22)
月始 ◎ ◎ ◎ ² ◎ 內部資表 九、最後按下確定即可 1. 最後按下確定即可 1. 檔案® 編輯® 調整(△ 相片 ® 特效(○) 1. 檔案® 編輯® 調整(△ 相片 ® 特效(○) 1. 菌素® 編輯® 調整(△ 相片 ® 特赦(○) 1. 菌素® (□) 1. 菌素® 編輯® 調整(△ 相片 ® 特赦(○) 1. 菌素® (□) 1. 菌素® (□) 1. 菌素® (□) 1. 菌素® (□) 1. ■ □ 1. ■	E È 102上 ⊆) 選取區() 物件(0) 420 \$ ¥ 350 \$	 → 我的文件 ● 室南市六 網路(E) 校視(Y) 我的工作區 Y (P) (P) (Q) (Q) 	···· 厄 〔 <u>(()</u> 硯窗(W) 說明	┙使用Photo 月田 全社	■ 図 ? 《 ▲ 》 T+ 04:22
月胎 ● ● ● ○ ● 內部資金 九、最後按下確定即可 1、最後按下確定即可 1 <	E ▲ 102上 C) 選取區① 物件(④ 420 \$ ¥ 350 \$	 → 我的文件 ● 臺南市六 網路(B) 校視(Y) 我的工作區 ▼ ▼ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	···· 厄 ·(①) 親窗(W) 說9	♥(田) 月(田) 全社 ビ	■ 図 ? 《 ▲ 》 下午 04:22
 → 開始 ▲ ● ● ● ² ● 内部演奏 九、最後按下確定即可 ■ ■ ■ ■ ■ ■ ● ● ● ■ ■ ● ■ ● ■ ● ■ ■ ● ■ ■ ■ ● ■ ■ ■ ● <!--</td--><td> ▶ 102上 ○ 選取區(L) 物件(Q) 420 ↓ ⊻ 350 ↓ 出次将换 350 ↓ </td><td> → 我的文件 ● 室南市六 網路(E) 校視(Y) 我的工作區 ¥ (II) (II) (II) (II) (II) </td><td>···· 厄 ·(1) 親窗(W) 説明</td><td>☑ 使用Photo 月田 全 ✓</td><td>► R ? K N TT 0422</td>	 ▶ 102上 ○ 選取區(L) 物件(Q) 420 ↓ ⊻ 350 ↓ 出次将换 350 ↓ 	 → 我的文件 ● 室南市六 網路(E) 校視(Y) 我的工作區 ¥ (II) (II) (II) (II) (II) 	···· 厄 ·(1) 親窗(W) 説明	☑ 使用Photo 月田 全 ✓	► R ? K N TT 0422
 → 開始 ▲ ● ● ● ² ● 内部資気 九、最後按下確定即可 ● ■ ■ ■ ■ ■ ■ ■ ● ●	 ▶ 102上 ○ 選取區() 物件(○) 420 ♀ ⊻ 350 ♀ 北次持換 水源 資料夾(□ 	 → 我的文件 ◆ 室南市六 綱路(E) 檢視(Y) 我的工作區 ▼ ▼ ● (○) (○) (○) (○) (○) (○) (○) (○) (○) (○)	···· 论 ···· 祝窗(W) 說 9 ····································	 ● 使用Photo 明田 ● 全社 	■ 図 ? 《 ▲ P 0422
月胎 ● ● ● ○ ■ 内部資気 九、最後按下確定即可 ■ 檔案 ● 編輯 ● 調整 ▲ 相片 ① 特效(■ 檔案 ● 編輯 ● 調整 ▲ 相片 ① 特效(■ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 ▶ 102上 注政區(上) 物件(④) 420 ♦ ¥ 350 ♦ 北次持換 水源 資料夾(正) 類型(上) 	 → 我的文件 ◆ 室南市六 網路(E) 檢視(Y) 我的工作區 ✓ (二) (二) (二) (二) (二) (二) ○: F:穴下甲國小迎暾樓圖 ♥ (…) *.* 		♥(用Photo 月日) 全社 ✓	■ 図 ? 《 ▲ * T+ 0422
 → 開始 ● ● ● ● ● ○ ● 内部資金 九、最後按下確定即可 ● ■ ■ ■ ● ●	 ▶ 102上 (102上) (102⊥) (102⊥)<	 → 我的文件 ◆ 室南市六 網路(E) 校視(Y) 我的工作區 ¥ (IP) (IP) (IP) (IP) ★ (IP) (IP) (IP) (IP) (IP) (IP) (IP) (IP) (IP) (IP) (IP) (IP) 		♥① 使用Photo	
 → 開始 ▲ ● ● ● ² ● 内部資金 九、最後按下確定即可 ■ ■ ■ ■ ■ ■ ■ ■ ● ●	 ▶ 102上 ○ 選取區() 物件(○) 420 ♥ ♥ 350 ♥ 420 ♥ ♥ 350 ♥ 420 ♥ ♥ 350 ♥ 	 → 我的文件 ◆ 室南市六 綱路(B) 檢視(Y) 我的工作區 ✓ (一) (○) (○) (○) (○) (○) (○) (○) (○) (○) (○	··· で :(<u>(</u>) 親窗(W) 説明 :(<u>(</u>) 親裔(W) 説明	 ● 使用Photo り(田) ● 全社 	
 → 開始 ● ● ● ● ● ○ ● 内部資金 九、最後按下確定即可 ● ■ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 ▶ 102上 注取區(上) 物件(④) 420 ↓ ⊻ 350 ↓ 第4次(日) 第4次(日) 第4次(日) 第4次(日) 第6 ● (前存) 	 ▲ 我的文件 ▲ 室南市六 網路(E) 校視(Y) 我的工作區 ▲ ※ (题) (题) (型) 4 ※ (题) (题) (型) 4 ※ (题) (题) (型) (型) (型) (型) (型) (型) (型) (型) (型) (型	···· で (1) 親窗(W) 説明 (1)	♥⑪ 月⑪ 全 ✓	
 → 開始 ● ● ● ● ● ○ ● 内部資金 九、最後按下確定即可 ● ■ * ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正, ▲ 102上 ○, 選取區①, 物件(④) 420 ◆ ♥ 350 ◆ 11次特換 床源 資料夾徑 類型(₽): 目的地 開踏 儲存 存至 	 ▲ 我的文件 ▲ 室南市六 網路 (2) 校視(Y) 我的工作區 ✓ (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	··· (3) 硯窗(W) 説明	♥① 使用Photo	
第胎 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區(L) 物件(Q) 420 ○ ○ ○ 350 ○ 1.次持換 第本源 資料夾(C) 資料交(C) ○ 合 目的地 ○ 間容 ○ 命存至 	 ▲ 我的文件 ▲ 室南市六 網路(B) 檢視(Y) 我的工作區 ▼ ● ● 室南市六 第四日 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	···· 论 ··· 親窗(W) 説明 ····································	☑ 使用Photo	
→ 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區① 物件(①) 420 ◆ ⊻ 350 ◆ 11次移換 第420 ◆ ⊻ 350 ◆ 11次移換 第420 ● 1100 ●	 → 我的文件 ◆ 室南市六 網路(E) 校視(Y) 我的工作區 ▼ ※ ※	···· (① (①) 親窗(W) 説 (①) 親窗(W) 説	♥田 PHE 全社 ✓	
→ 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區① 物件(②) 420 ♀ ⊻ 350 ♀ 11次特換 床源 資料夾(四 類型(P)) 包含 目的地 開啓 6都存 7至 將檔案格示 FPG (FFG) 將影像類型 	 ▲ 我的文件 ▲ 室南市六 網路(E) 板視(Y) 我的工作區 ▼ ●: F:穴:中國小迎暾樓圖 ♥ *** ▼ ●: F:穴:中國小迎暾樓圖 ♥ (※ ●: *** 	··· (1) 親窗(W) 説明	♥① 使用Photo	
 → 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區() 物件(0) 420 ○ ○ ○ 350 ○ 第420 ○ ○ ○ ○ 第40次() ○ 前行 ○ 前行 ○ 前行 ○ 前行 ○ 百子 ○ 第指檔案格示 ○ 百子 ○ 第5%(9) ○ 全 	 ▲ 我的文件 ▲ 室南市六 網路(B) 檢視(Y) 我的工作區 ▼ (2) (2) (2) (2) (2) 第 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2) (3) (2) (2) (2) (4) (2) (2) (2) (5) (2) (2) 	···· (2) 視窗(W) 説明 (3) 視窗(W) 説明	 ● 使用Photo 月田 ● 全社 	
 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 ▶ 102上 (1) 選取區(1) 物件(0) (420 ◆ ¥ 350 ◆ (420 ◆ ¥ 350 ◆ (1) 大方移換 (第) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	 ▲ 我的文件 ▲ 室南市六 網路 (2) 校視(Y) 我的工作區 ▲ 認知 (2) 我的工作區 ▲ 認知 (2) 我的工作區 ▲ 認知 (2) 中国小迎暾楼園 (2) 中国小迎咏楼園 (2) 中国小迎咏楼楼園 (2) 中国小迎咏楼園 (2) 中国小迎咏楼楼園 (2) 中国小迎咏楼楼園 (2) 中国小迎咏楼楼園 (2) 中国小迎咏 (2) 中国小迎 (2) 中国小迎咏 (2) 中国小迎 (2) 中国小迎咏 (2) 中国小迎 (2) 中国) (2) 中国小迎 (2) 中国小迎 (2) 中国小田小迎 (2)		♥① 使用Photo	
 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 □ 選取區① 物件(②) (④) 選取區① 物件(④) (④) (④) (④) (□ (○) (○) (○) (○) (□ (○) (○) (○) (○) (○) (○) (○) (□ (○) (○) (○) (○) (○) (○) (○) (□ (○) (○) (○) (○) (○) (○) (○) (○) (□ (○) (○) (○) (○) (○) (○) (○) (○) (○) (○)	 → 我的文件 ◆ 室南市六 綱路(E) 檢視(Y) 我的工作區 ▼ ● ● 室市六 ● ● 室市六 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●		 ● 使用Photo P(E) ● 全重 ✓ 	
● 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區① 物件(①) 420 ○ ○ ○ 350 ○ 第次移換 第次 第2 第2 第2 第4 第4 第4 第4 第5 第4 第5 第5 第4 平 102上 第5 100 100<td> ★ 就的文件 ◆ 室南市六 網路(E) 檢視(Y) 我的工作區 ▼ (**) (**) (**) * (**) (**) (**) * (**) (**) (**) * (**) (**) * (**) </td><td></td><td> ● 使用Photo ● 使用Photo </td><td></td>	 ★ 就的文件 ◆ 室南市六 網路(E) 檢視(Y) 我的工作區 ▼ (**) (**) (**) * (**) (**) (**) * (**) (**) (**) * (**) (**) * (**) 		 ● 使用Photo ● 使用Photo 	
→ 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區① 物件(①) 420 • 2 350 • 11次特換 東源 資料夾(① 類型(2): 目的地 開啓 ● 儲存 ○ 存至 第影像類型 全彩(241) ▼ 碰到錯載 	 ▲ 我的文件 ▲ 室南市六 網路 (E) 校視(Y) 我的工作區 ▼ (IP) (IP) (IP) (IP) ● (IP) (IP) (IP) (IP) <li< td=""><td></td><td>● 使用Photo</td><td></td></li<>		● 使用Photo	
● 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 □ 選取區① 物件(②) (④ 選取區① 物件(④) (④ ② ③ ③ ③ ③ (□ ③ ④ ③ ③ (□ ④ ③ ④ (□ ● ○ (□ ● ○	 ▲ 我的文件 ▲ 室南市六 綱路(B) 檢視(Y) 我的工作區 ▲ 副路(B) 檢視(Y) 我的工作區 ▲ 副路(B) 檢視(Y) 我的工作區 ▲ 副路(B) 極視(Y) 我的工作區 ▲ 副路(B) ● ● ● ▲ 副路(B) ● ● ● ● ●<td></td><td>♥田 P田 ● 全社 ビ</td><td></td>		♥田 P田 ● 全社 ビ	
● 開始 ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	 正 102上 ○ 選取區() 物件(0) 420 • 2 350 • 350 • 11次移狭 資料灭低 類型(2): 目的地 開路 6時存 存至 第総像類型 全彩 (24 ft ▼ 磁到第 	 ▲ 我的文件 ▲ 室南市六 網路 (2) 校視(Y) 我的工作區 ▲ (2) 校視(Y) 我的工作區 ▲ (2) 校視(Y) 我的工作區 ▲ (2) 校視(Y) 我的工作區 ▲ (2) 校視(Y) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		● 使用Photo	